

Evaluate the effectiveness of selected nursing intervention on management of back pain among employees working in a selected company, Bangalore.



**DOCTORAL THESIS
2018**

Advance Research Journal of Multidisciplinary Discoveries [E-ISSN : 2456-1045]

Email: journal.ijf@gmail.com
Website: www.journalresearchijf.com
Publisher : International Journal Foundation

Edition : June 2018
Vol. 27 | Issue : 1

“Evaluate the Effectiveness of Selected Nursing Intervention on Management of Back Pain among Employees working in a Selected Company, Bangalore”.

BY

Abilasha Sharma

Dissertation submitted to the
Rajiv Gandhi University of Health Sciences, Bangalore, Karnataka.



In partial fulfillment
Of the requirements for the degree of
Master of Science
IN

COMMUNITY HEALTH NURSING

Under the Guidance of

Dr. LAKSHMI A

HOD

Department of Community Health Nursing

**Sarvodaya College of Nursing
No. 11/2, Magadi Main Road,
(Beside Raheja Park) Agrahara Dasarahalli
Bangalore -560079.**

2017

Rajiv Gandhi University of Health Sciences, Bangalore, Karnataka

BIBLIOGRAPHY

CHAPTER-IX

BIBLIOGRAPHY

CHAPTER-IX

- [1]. **Tremblay, Mark Stephen; Colley, Rachel Christine; Saunders, Travis John; Healy, Genevieve Nissa; Owen, Neville (2010).** "Physiological and health implications of a sedentary lifestyle". *Applied Physiology, Nutrition, and Metabolism* **35** (6): 725–740.doi:10.1139/h10-079. Accessed on 12 january 2017
- [2]. **De Groot, Gudrun Cathrine Lindgren; Fagerström, Lisbeth (June 14, 2010).** "Older adults' motivating factors and barriers to exercise to prevent falls". *Scandinavian Journal of Occupational Therapy* **18** (2):153–160. doi:10.3109/11038128.2010.487113.PMID 20545467. Accessed on 12 january 2017
- [3]. **Malina, R (2010).** Physical activity and health of youth. Constanta: Ovidius University Annals, Series Physical Education and Sport/Science, Movement and Health. Accessed on 13 january 2017
- [4]. "President's Council on Physical Fitness and Sports Definitions for Health, Fitness, and Physical Activity". **fitness.gov. Accessed on 13 january 2017**
- [5]. http://www.thehealthsite.com/diseasesconditions/backpain/001/?gclid=Cj0KEQjwmv7JBRDXkMWW4_Tf8ZoBEiQA11B2fiPRKtHCqarB4JxBFXLkUqZTs4ms_trQEImiuk5zt6QaAizI8P8HAQ Accessed on 13 january 2017
- [6]. Available from <https://spinecare.luminhealth.com/conditions/lower-back-pain/> . Accessed on 13 january 2017
- [7]. Available from <http://umm.edu/health/medical/altmed/condition/low-back-pain>
- [8]. Namrata Arora Charpe, “Reducing Back pain and Increasing Performance in Software Professionals”, **International NGO Journal** **4** (3), pp. 066-069, March, 2009.ru.
- [9]. Available from <http://www.webmd.com/back-pain/living-with-low-back-pain-11/emotional-effects> **Robert N. Jamison, PhD, associate professor in the Departments of Anesthesia and Psychiatry at Brigham and Women's Hospital, Boston**
- [10]. Available from <https://coastalorthopedics.com/back-pain-can-affect-quality-life/> October 30, 2014 **Allison StewartHealth & Nutrition, Orthopedics, Pain Management**
- [11]. Available from <http://www.ijhas.in/article.asp?issn=2278344X;year=2012;volume=1;issue=2;spage=74;epage=78;aulast=Shrivastava>
- [12]. Available from <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3579727/>
- [13]. **Talwar R, Kapoor R, Puri K, Bansal K, Singh S.** A Study of Visual and Musculoskeletal Health Disorders among Computer Professionals in NCR Delhi. *Indian J. Community Med.*2009 Oct;34(4):326–

- [14]. **Shrivastava SR, Bobhate PS.** Computer related health problems among software professionals in Mumbai : A cross-sectional study. 2012;1(2):74–8.
- [15]. **Sharma A, Khera S, Khandekar J.** Computer related health problems among information technology professionals in Delhi. *Indian J. Community Med.*2006;31(1):36.
- [16]. **Vijay A.** Work Related musculoskeletal health disorders among the information technology professionals in India. *Int. J. Manag. Res. Bus. Strateg.* 2(2):118–28.
- [17]. **Obembe AO, Johnson OE, Tanimowo TO, Onigbinde AT, Emechete AA.** Musculoskeletal pain among undergraduate laptop users in a Nigerian University. *J. Back Musculoskeletal Rehabil.* 2013 Jan 1;26(4):389–95.
- [18]. **Deepak Sharan, PrakritiParijat, AjeeshPadinjattethilSasidharan, Ramesh kumar, Ranganathan, MathankumarMohandoss, Jeena Jose (2011),**—Workstyle Risk Factors for Work Related Musculoskeletal Symptoms Among Computer Professionals in India, *Journal of Occupational Rehabilitation.* 21(4): pp 520-525
- [19]. **Corlett EN (2006),** —Background to sitting at work: research requirements for the design of Ergonomics, vol. 49, pp. 1538-1546.
- [20]. **Fenety, A.,Walker,J.M (2002),**—Short term effects of workstation exercises on musculoskeletal discomfort and postural changes in seated video display unit workers, *Physical Therapy,* 82, 578– 589.
- [21]. **Giri PA. (2010)** Computer related healthproblems among occupational computer users.*Australasian Med J.* 2010;3(7)
- [22]. **Joyce MB.** Medical and surgical nursing,Elsevier publication, 7th edition, Pp 568.
- [23]. **Ali MK, Sathiyasekaran BWC. (2006)**Computer professionals and carpal tunnelsyndrome. *Int J Occupat Saf Ergonomics.*12(3):319-25
- [24]. Available from <https://www.ninds.nih.gov/Disorders/Patient-Caregiver-Education/Fact-Sheets/Low-Back-Pain-Fact-Sheet> Written by **Richard G. Fessler, MD, PhD**
- [25]. Available from <https://www.spineuniverse.com/conditions/low-back-pain>
- [26]. **Tharu R. (2008)** Computer related injuries.*Med India*
- [27]. **NASSCOM (2009, February),** Indian IT-BPO Industry. Retrieved from National Association of Information Technology and Service Company, available at http://www.nasscom.in/upload/5216/IT_industry_factsheet_Mar_2009.pdf
- [28]. **The NASSCOM Strategic Review (2012),**The IT and BPO sector in India, Retrieved from:http://www.nasscom.in/sites/default/files/researchreports/SR_2012_Executive_Summary.pdf

- [29]. **Spyropoulos P, Papathanasiou G, Georgoudis G, Chronopoulos E, Koutis H, Koumoutsou F.** Prevalence of low back pain in Greek public office Workers. *Pain Physician* 2007;10:651-9.
- [30]. **Namrata Arora Charpe.** Reducing back pain and increasing performance in software professionals, *International NGO Journal* 2009;4(3):66-69.
- [31]. **Braun.** Postural differences between asymptomatic men and women and craniofacial pain patients. *Archives of Physical Medicine and Rehabilitation* 1991;72:653-656.
- [32]. **Lis AM, Black KM, Korn H and Nordin N.** Association between sitting and occupational LBP. *European Spine Journal* 2007;16:283-298.
- [33]. Available from <http://www.ncbi.nlm.nih.gov/pubmed/21328059> **PMID:21328059**
[PubMed - indexed for MEDLINE]
- [34]. **Shahla M Eltayeb¹, J Bart Staal¹, Amar A Hassan³, Salwa S Awad² and Rob A de Bie.** Complaints of the arm, neck and shoulder among computer office workers in Sudan: a prevalence study with validation of an Arabic risk factors questionnaire. Accessed on 12 may 2017
- [35]. **Bhanderi Dinesh, Choudhary SK, Parmar Lata, Doshi Vikas.** *Indian Journal of Community Medicine All Medical Journals Issues Contents Editorial Board & Information Influence of psychosocial workplace factors on occurrence of musculoskeletal discomfort in computer operators* Vol. 32, No. 3 (2007-07 - 200709). Accessed on 12 may 2017.
- [36]. Is back pain spreading like epidemic. [online] 2010 Apr Available from : URL : <http://articles.timetoofindia.Indiatimes.com/20100415/Kanpur/28132422www.rguhs.ac.in/cdc/onlinecdc/uploads>. Accessed on 12 may 2017.
- [37]. **Hides JA, Jull GA, Richardson CA.** Long-term effects of specific stabilizing for first-episode low back pain. *Spine* 2001;26:E243-8.
- [38]. **Moffett JK, Torgerson D, Bell-Syer S, et al.** Randomised controlled trial of exercise for low back pain: clinical outcomes, costs, and preferences. *Br Med J* 1999;319:279-83.
- [39]. **Soukup MG, Glomsrød B, Lønn JH, Bø K, Larsen S.** The effect of a Mensendieck exercise program as secondary prophylaxis for recurrent low back pain. A randomized, controlled trial with 12-month followup. *Spine* 1999;24:1585-91.
- [40]. **Lindstrom I, Ohlund C, Eek C, et al.** The effect of graded activity on patients with subacute low back pain: a randomized prospective clinical study with an operant conditioning behavioral approach. *Phys Ther* 1992;72:279-90.
- [41]. **Taimela S, Diederich C, Hubsch M, Heinrich M.** The role of physical exercise and inactivity in pain recurrence and absenteeism from work after active outpatient rehabilitation for recurrent or chronic low back pain. *Spine* 2000;25:1809-16

- [42]. **Holmes B, Leggett S, Mooney V, Nichols J, Negri S, Hoeyberghs A.** Comparison of female geriatric lumbar-extension strength: asymptomatic versus chronic low back pain patients and their responses
- [43]. **Edwards BC, Zusman M, Hardcastle P, Twomey L, O’Sullivan P, McLean N.** A physical approach to the rehabilitation of patients disabled by chronic low back pain. *Med J Australia* 1992;156:167–71e to active rehabilitation. *J Spinal Disord* 1996;9:17–22
- [44]. **Alaranta H, Rytökoski U, Rissanen A, et al.** Intensive physical and psychosocial training program for patients with chronic low back pain. *Spine* 1994;19:1339–49
- [45]. **Manniche C, Lundberg E, Christensen I, Bentzen L, Hesselsoe G.** Intensive dynamic back exercises for chronic low back pain: a clinical trial. *Pain* 1991;47:53–63
- [46]. **Kankaanpää M, Taimela S, Airaksinen O, Hanninen O.** The efficacy of active rehabilitation in chronic low back pain. Effect on pain intensity, self-experienced disability, and lumbar fatigability. *Spine* 1999;24:1034–42.
- [47]. **Norris C, Matthews M** - The role of an integrated back stability program in patients with chronic low back pain. *Complement Ther Clin Pract*, 2008;14(4):255-263.
- [48]. **Kankaanpää M, Taimela S, Airaksinen O et al.** - The efficacy of active rehabilitation in chronic low back pain. Effect on pain intensity, self-experienced disability, and lumbar fatigability. *Spine (Phila Pa 1976)*, 1999;24(10):1034-1042.
- [49]. **Polit DF, Beck TC.** Nursing research: principles and methods. 7th edition. Philadelphia Lippincott Williams and Wilkins publishers; 2004.
- [50]. **Kolcaba K.** A theory of comfort for nursing. *Journal of Advanced Nursing* 1994; 19: 1178-1184.
- [51]. International journal of scientific & technology research volume 2, issue 7, july 2013 .Available from www.ijstr.org
- [52]. **Akrouf QA, Crawford JO, Al-Shatti AS,** Kamel MIMusculoskeletal disorders among bank office workers in Kuwait. Source, Department of Occupational Health, Ministry of Health, Kuwait.
- [53]. **Subratty AH. (2005)** Occupational over use syndrome among keyboard users in Mauritius. *Indian J Occupat Env Med.*9(2):71-5
- [54]. **Talawar R. (2009)** A study of visual and musculoskeletal health disorders among computer professionals in NCR Delhi. *Indian J Community Med.* 34(4):326
- [55]. **Bhandari D. (2006)** A study of occurrence of musculoskeletal discomfort in computer operators. *Indian J Community Med.* 33(1):65

- [56]. International Journal of Innovation, Management and Technology, Vol. 1, No. 4, October 2010 ISSN: 2010-0248 388 Studies on Health Problems of Software People: A Case Study of Faculty of GCE and GIMT Gurgaon, India Geeta Kumari, K.M.Pandey, Member, **IACSIT and S.S.Khanaka**,
- [57]. ISSN 2319-345X www.ijmrbs.com Vol. 2, No. 2, April 2013 © 2013 IJMRBS Int. J. Mgmt Res. & Bus. Strat. 2013, **S Arun Vijay, 2013**
- [58]. Available from <http://www.sciencedirect.com/science/article/pii/S235197891501118X>
- [59]. **kristensen B J. Sogaard K ,StroyesJ.Jensen C** .Computer users risk factors for developing shoulder elbow and back symptoms . scand j work environment health 2004, 30 (5)390-98.Accessed on 15 may 2017
- [60]. 2015-5435/14/63-45-52 INTERNATIONAL JOURNAL OF OCCUPATIONAL HYGIENE Copyright © 2015 by Iranian Occupational Health Association (IOHA) IJOH 7: 45-52 Laboratory of Epidemiological and Clinical Research, Lebanese University, Hadath, Lebanon. Received April 28, 2014; Revised January 15, 2015; Accepted April 14, 2015 .Available on-line at <http://ijoh.tums.ac.ir>
- [61]. Available from <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2895788/> Journal List Afr Health Sciv. 10(1); 2010 Mar
- [62]. Available from <http://ijomeh.eu/Low-back-pain-among-female-nurses-in-yemen,2173,0,2.html> Int J Occup Med Environ Health 2013;26(4):605–614DOI: <https://doi.org/10.2478/s13382-013-0124-0>
- [63]. **BMC Musculoskeletal Disorders**. BMC series – open, inclusive and trusted201617:420 Available from <https://bmcmusculoskeletdisord.biomedcentral.com/articles/10.1186/s12891-016-1281-7>
- [64]. **Petrofsky JS, Batt J**. Improving the outcome after back injury by a core muscle-strengthening program. The journal of applied research 2008; 8(1): 62-64.
- [65]. **Rok S, Wytrazek M, Bilski B**. Efficacy of therapeutic exercises in low back pain Surveyed in a group of nurses. Available from: URL: <http://www.pubmed.com>.Accessed on 24 may 2017.
- [66]. **Preyde M**. Soft tissue manipulation, exercise and education improve and disability in patients with non- specific low back pain. Australian journal of physiotherapy 2000; 162: 1815-1820.
- [67]. **Hayden JA**. Effects of different exercise programs on various types of low back pain. Available from: URL: http://www.chealth.canoe.ca/channel_section.
- [68]. **Larsen K** ,Issue of Arthritis Care & Research February 2009. Available from: URL: <http://www.ncbi.nlm.nih.gov/pubmed/18794746>.
- [69]. **Hides J, Jull G**. Specific spinal exercise substantially reduces the risk of low back pain recurrence. Spine 2001; 11: 234-248.

- [70]. **Talbot LA.** Principles and Practice of Nursing Research. Missouri Mosby Year Book 1995.
- [71]. **Koda S, Hisashige A, Ogawa T et al.** An epidemiological study on low back pain and occupational risk factors among clinical nurses. Available from: URL: <http://www.ncbi.nlm.nih.gov/pubmed/17593305> . Accessed on 29.11.09.
- [72]. **Smedley J, Egger P.** Prospective cohort study of predictors of incident low back pain in nurses. British medical journal 1997; 314(26): 1225-1230.
- [73]. **Petersen T, Larsen K,**Back center of Copenhagen.Denmark. Stregthening exercise reduced LBP. Available from: URL: tomp@postboks100@mail.ttdk.dk
- [74]. **Beurskens AJ.** Measuring the functional status of patients with low back pain. Spine 1995; 20(9): 1017-28.
- [75]. **Rok S, Wytrazek M, Bilski B.** Efficacy of therapeutic exercises in low back pain surveyed in a group of nurses. Available from: URL: <http://www.pubmed.com>.Accessed on 24.09.09
- [76]. **Abstract.Bentenson** , Halen MD:Lindgard:Folke MD , Rolf MD ,Phd
- [77]. **Scott Leggett, MS.** Restorative Exercise for Clinical LBP.Spine 24:889-898
- [78]. **Neusa Maria C Alexandre,** Marco Antonio A de Moraes, Heleno R Corrêa Filho, Silvia Angélica Jorge. Evaluation of a program to reduce back pain in nursing personnelRev. Saúde Pública 35 .(4) São Paulo . 2001
- [79]. Available from <http://www.jospt.org/doi/abs/10.2519/jospt.2006.2144> Journal of Orthopaedic & Sports Physical Therapy, 2006 Volume:36 Issue:7 Pages:472–484 DOI:10.2519/jospt.2006.2144